

INTRODUCING THE NCF-45


AUTOMATIC ENCAPSULATION MACHINE






A **highly reliable encapsulator**, producing up to **80% higher yields** to typical hand-filling or semi-auto encapsulation machines.

THE NCF-45 **FEATURES**



CHANGE PARTS & SPECIFICATIONS



NATOLI'S NCF-45 SPECIFICATIONS

Number of Cavities	6 Cavities
Capacity	Max 45,000 Capsules / hr.
Revolution	10 - 120 rpm
Capsule Size	#00, #0, #1, #2, #3, #4
Special Capsule Size	#000, #5
Power Supply	480V \pm 10%, 3 phase, 60Hz
Power Consumption	3.5 kW
Dimension	1100(W) x 2575(H) x 1000(D)
Weight	1700 kg

THE NCF-45 **HIGHLIGHTS**

GMP & cGMP compliant | SCADA network compatible | 21 CFR part 11, CE Certified



HIGHLIGHTS

- Auto-control by PLC, Color Touch Screen HMI
- Accurate operation for orientation, separating, filling, closing, and ejecting capsules
- Sensors to control powder, pellets, and capsules
- Stops automatically when predetermine capsule quantities are achieved
- High production and smooth operation
- Reduced product loss
- Consistent capsule filling weight control
- Quick changeover - within 45 minutes
- Accurate filling weight
- Precision construction for stable and long-lasting operation
- High reliability and safety



The perfect capsule is possible with the NCF-45

To learn more scan the QR Code or contact our Global Support team at **636.926.8900**

